



### Product Fiche

|  |          |
|--|----------|
| Model number   | BI701.E  |
| <b>TECHNICAL DATA</b>  |          |
| Power supply voltage   | 220-240V |
| Frequency (Hz)   | 50       |
| Refrigerant  | R600a    |
| Current of product (A)   | 0.8      |
| Total gross volume (l)   | 260      |
| Total net volume (l)   | 242      |
| Freezer net volume (l)   | 60       |
| Refrigerator net volume (incl. fresh food comp.) (l)                               | 182      |
| Fresh Food Compartment Net Volume (l)  | 0        |
| Freezing capacity (kg/24h)   | 3.5      |
| Max storage time in freezer by power failure (h)                                   | 11       |
| <b>PRODUCT PARAMETERS</b>  |          |
| Low-noise appliance  | No       |
| Design type  | built in |
| Wine storage appliance   | No       |
| Other refrigerating appliance  | Yes      |
| Total volume   | 242      |
| Energy efficiency class  | F        |
| Energy efficiency index (EEI)  | 124.7    |
| Annual energy consumption (AE)   | 256.23   |
| Standard annual energy consumption (SAE)   | 205.50   |
| Auxiliary energy (Eaux)  | 0.000    |
| Daily energy consumption at 16°C (EI6)   | 0.460    |
| Daily energy consumption at 32°C (E32)   | 0.944    |
| Incremental defrost and recovery energy consumption at 16°C ( $\Delta E_{d-f16}$ ) | 0.000    |
| Incremental defrost and recovery energy consumption at 32°C ( $\Delta E_{d-f32}$ ) | 0.000    |
| Defrost interval at 16°C (td-f16)  | 0.0      |

|   |             |
|---|-------------|
| Defrost interval at 32°C (td-f32)   | 0.0         |
| Temperature rise time   | 11 h        |
| Combi parameter   | 1.516       |
| Door heat loss factor (D)   | 1.000       |
| Load factor (L)   | 1           |
| Anti-condensation heater type   |             |
| Climate class   | subtropical |
| Airborne acoustical noise emissions [dB(A) re 1 pW]                           | 39          |
| Airborne acoustical noise emission class                                      | C           |
| Minimum ambient temperature for which the refrigerating appliance is suitable | 16          |
| Maximum ambient temperature for which the refrigerating appliance is suitable | 38          |
| Winter setting  | No          |
| Number of doors or compartments (whichever is lower)                          | 2           |
| Fast freeze facility (for 4-star compartments)                                | No          |
| Type of light source  | LED         |
| Energy efficiency class - light source  | G           |
| <b>COMPARTMENT 1 PARAMETERS</b>   |             |
| Compartment type  | Fresh Food  |
| Compartment volume  | 182         |
| Recommended temperature setting for optimised food storage                    | 4           |
| Freezing capacity   | -           |
| Defrosting type   | Auto        |
| Target temperature (Tc)   | 4           |
| Thermodynamic parameter (rc)  | 1.00        |
| Modelling parameter (Nc)  | 75          |
| Modelling parameter (Mc)  | 0.12        |
| Defrost factor (Ac)   | 1.00        |
| Built-in factor (Bc)  | 1.02        |
| <b>COMPARTMENT 2 PARAMETERS</b>   |             |
| Compartment type  | 4-star      |
| Compartment volume  | 60          |
| Recommended temperature setting for optimised food storage                    | -18         |
| Freezing capacity   | 2.5         |

|                                |        |
|--------------------------------|--------|
| Defrosting type                | Manual |
| Target temperature (Tc)        | -18    |
| Thermodynamic parameter (rc)   | 2.1    |
| Modelling parameter (Nc)       | 138    |
| Modelling parameter (Mc)       | 0.15   |
| Defrost factor (Ac)            | 1.00   |
| Built-in factor (Bc)           | 1.05   |
| <b>LOGISTIC DATA</b>           |        |
| Net height (mm)                | 1769   |
| Net width (mm)                 | 540    |
| Net depth with handle (mm)     | 540    |
| Gross height (mm)              | 1840   |
| Gross width (mm)               | 568    |
| Gross depth (mm)               | 568    |
| Gross volume (m <sup>3</sup> ) | 0.594  |
| Net weight (kg)                | 50     |
| Gross weight (kg)              | 55     |